

**REMARKS**

Claims 1, 3-11 are pending in the application.

Claims 1, 3-11 were rejected.

Claim1 is amended herein.

**I. 35 U.S.C. §103 Claim Rejections**

Independent claim 1, along with dependent claims 3-4, 10 and 11 were rejected under 35 U.S.C. §103(a) as being unpatentable over Torsner *et al.* (U.S. Patent No. 7,187,677). Dependent claims 5-9 were rejected under 35 U.S.C. §103(a) as being unpatentable over Torsner in view of Watanabe *et al.* (U.S. Patent No. 6,285,662). Independent claim 1 has been amended herein. The Applicant respectfully traverses these rejections and requests reconsideration thereof based on that amendment and the arguments presented below.

The thrust of the invention here is a method for reducing the impact of stalling at a communications receiver due to the non-receipt, or delayed receipt of a packet expected by the receiver to be sent from a transmitting location. As taught by the Applicant, packet data is generally sent from a transmitter to a receiver in sequentially numbered packets. The receipt by the receiver of an out-of-sequence packet provides an indication that a prior-numbered packet has not been received. In the prior art, that determination at the receiver of receipt of an out-of-sequence packet triggers the start of a timer, and the continued non-receipt of the packet through a timeout of the timer duration is taken as an indication that the packet is lost. Upon such a lost-packet determination, the receiver moves on to other packet processing steps which are known in the art. The processing delay related to the wait at the receiver for either receipt of an expected, but delayed packet, or timer timeout, is generally characterized as a stall condition.

However, as the Applicants point out, there are also various conditions that may occur at the transmitter site that are known to the transmitter as conditions that would likely result in a lost-packet event occurring at the receiver. However, while the transmitter site may have immediate or short-term indication of the occurrence of an condition that would result in such a lost-packet event being logged at the receiver -- *e.g.*, that one or more specific packets were

not transmitted, the receiver must await timer timeout for the non-received packet before confirming that determination, thus resulting in an unnecessary stall condition at the receiver.

According to the method of the invention, a probability of a stalling condition occurring in respect to a given transmitted packet is determined at the transmitter site, as a function of known system parameters – generally, amount of data being transmitted, number of retransmission requests from the receiver and transmission error expectation. From that probability, a wait time is determined in respect to an expected event or response. If the event or response does not occur by the end of the wait time so determined, a signal is sent to the receiver, termed a “flush command,” that operates to terminate a stall condition occurring in respect to the apparently-missing packet. In many instances termination of the stall condition through operation of the probabilistically determined flush command will end the stall condition earlier than would have occurred through operation of the timer timeout at the receiver.

With respect to the rejection of independent claim 1 as being unpatentable over the teaching of Torsner, the Applicant notes that claim 1 includes a limitation directed to the determination of the stall probability parameter described above, and respectfully submits that Torsner cannot reasonably be construed to teach any such probability determination. The particular portion of Torsner cited by the Office Action as supporting its conclusion that Torsner teaches this limitation (col. 3, lines 43-45) is merely a statement of the goal of Torsner’s invention (“stall avoidance”) and a definition of what constitutes a stall condition for Torsner’s approach. Indeed, in the immediately following text, Torsner describes its approach for addressing a stall condition as exactly the timer timeout approach described above and well known in the prior art. Thus, at best, Torsner can be seen to only teach a binary determination that a stall condition exists or does not exist. Plainly such a binary determination does not constitute a probabilistic characterization of the likelihood of a stall occurring – inherently a range of values. The Office Action turns logic on its head here in its assertion that such an on-off resultant in Torsner could somehow be characterized as probabilistic. Even if one stretches the point to assert that a collection of such resultants might be characterized as a statistical distribution, nothing in such a resultant can reasonably be construed to infer a probabilistic determination of any individual resultant -- and plainly, as

described above, nothing in the approach of Torsner could reasonably be described as a probabilistic determination of a stall condition.

Equally important, whatever characterization is made as to Torsner's action in addressing a stall condition, it is clear that Torsner's approach is applied solely at the receiver, and, particularly, that Torsner simply teaches the introduction of a stall timer at the receiver. By contrast, as discussed above, the methodology of the invention operates at the transmitter site to develop probabilities of a stalling condition occurring based on system parameters determined at the transmitter site. Upon a determination of a likely stalling condition by the method of the invention, a signal is then sent from the transmitter site to the receiver, which will generally operate to terminate the timer operation at the receiver, with the packet in question being determined as lost. Plainly, nothing remotely similar to this transmitter-based operation of the invention methodology is taught or suggested by Torsner.

The Applicant believes it clear that, in addition to Torsner's failure to teach Applicant's claim limitation of determining a probability of a stalling condition at the transmitter site based on a state of one or more system parameters determined at the transmitter site, that reference also fails to teach or suggest the further limitation of independent claim 1 respecting the transmittal of a flush command to the receiver for the purpose of terminating the stall condition. The Office Action asserts that this limitation is taught by a portion of Torsner addressed to the termination of the stall condition upon the missing data not being received by the expiration of a timer operated at the receiver. Not only is such a receiver-based timer -- provided as a basis for terminating a stall condition -- part of the prior art already addressed by the Applicant in the background portion of his application, such a receiver-based timer operation cannot possibly be construed as equivalent to a flush command transmitted to the receiver, necessarily from a source apart from the receiver.

In the current Office Action, the Office implicitly concedes the distinction drawn above that nothing in the teaching of Torsner shows or suggests the probabilistic determination of a likely stalling condition carried out at a transmitter site, but then implausibly leaps to the conclusion that, because Torsner's system includes a transmitter, it would have been obvious to one skilled in the art to apply the Torsner teaching to its transmitter and thereby replicate the function of Applicant's invention. The Applicant

respectfully submits that, not only does Torsner lack any teaching whatsoever for carrying out the method of the invention disclosed and claimed by Applicant, nothing in that teaching could plausibly lead one skilled in the art to apply the taught methodology, which is singularly applicable to operation at a receiver, for operation at a transmitter.

At the end of the day, the Applicant believes that the current rejection basis is devoid of substance and could not be sustained on appeal. Nonetheless, prior to returning to appeal, and in the interest of prosecution efficiency, the Applicant has determined to amend independent claim 1 to address the only possible construction of that claim that might plausibly fit the rejection rationale – co-location of the transmitter and receiver. Although the Applicant does not believe such to be a reasonable construction of the existing claim language, he has amended to claim to make clear that the transmitter and receiver functions of the claimed invention are carried out in separate nodes, at respective ends of a communications link.

In view of the amendments to claim 1, and the showing above as to the clear distinctiveness of the invention over the teaching of Torsner, the Applicant submits that amended claim 1 must now be found patentable over Torsner. The remaining rejected claims all depend, either directly or indirectly from independent claim 1 and thus must also be patentable on the basis of that dependency. In addition, the Applicant respectfully submits that the limitation of dependent claim 4 – estimating a wait time as a function of the determined stall probability – is plainly not taught by Torsner, and that claim is accordingly independently patentable over Torsner. The teaching of Torsner cited by the Office Action as teaching the limitation of claim 4 is solely directed to Torsner's use of a timer at the receiver to terminate a stall condition at timer expiration. Plainly, such a timer-based stall termination has no relationship to a wait time established as a function of a determined stall probability.

Withdrawal of the §103 rejection of claims 1 and 3-11 is accordingly respectfully requested.

## **II. Request for Interview**

In the event that the Examiner, upon considering this response, determines that additional issues need resolution before the application is in condition for allowance, the

Applicant requests that the Examiner call his attorney, identified below (at 908 582-5294), to see if those issues can be resolved through an Examiner interview.

**III. Conclusion**

In view of the foregoing, allowance of the amended claims and passage to issue of the subject application is respectfully requested.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "John Ligon", with a horizontal line extending to the right.

John Ligon

Reg. No. 35,938

Attorney for Applicant

**Date:** March 24, 2010

**Docket Administrator (Room 2F-192)  
Alcatel Lucent  
600 Mountain Avenue  
P. O. Box 636  
Murray Hill, New Jersey 07974-0636**